

Page 1/6

Material Safety Data Sheet

acc. to ISO/DIS 11014

08/03/2000 Revision date: 08/03/2000

1 Identification of substance:

· Product details:

· Trade name: TSO-2 Red Ink

· Article number:

2600-197 2600-198 2600-255 2600-256

· Manufacturer/Supplier:

Diagraph Corporation 3401 Rider Trail South Earth City, MO 63045 Phone: (314) 739-1221 Fax: (314) 770-5700

• Information Department: Safety / Environmental

Emergency information:

Contact Infotrac: (800) 535 5053 (US only) International: +1 352 323 3500

2 Composition/Data on components:

- · Chemical characterization
- · Description:

Mixture of the substances listed below with nonhazardous additions.

Dangerous components:

64-17-5 ethanol

60-80 %

67-63-0 isopropyl alcohol

5-20 %

3 Hazards identification

- Hazard description: Highly flammable
- Information pertaining to particular dangers for man and environment: Highly flammable.
- Classification system

The classification was made according to the latest editions of international substances lists, and expanded upon from company and literature data.

NFPA Ratings (scale 0-4)

Health = 2
Fire = 3
Reactivity = 0

• HMIS Rating (scale 0-4)

Health - 2
Flammability - 3
Reactivity - 0

- · Routes of Entry Ingestion
- Target Organs Liver

(Contd. on page 2)

acc. to ISO/DIS 11014

08/03/2000 Revision date: 08/03/2000

Trade name: TSO-2 Red Ink

(Contd. of page 1)

- Irritancy None known
- · Sensitizing Capability None known
- · Reproductive Effects None known
- Cancer Information Not known to be carcinogenic.

4 First aid measures

After inhalation

Supply fresh air; consult doctor in case of complaints.

- · After skin contact Generally the product does not irritate the skin.
- · After eye contact

Rinse opened eye for several minutes under running water.

After swallowing

Induce vomiting, if person is conscious. Seek medical help.

5 Fire fighting measures

· Suitable extinguishing agents

Special powder for metal fires. Do not use water. CO2, sand, extinguishing powder. Do not use water.

 For safety reasons unsuitable extinguishing agents Water.

Water with full jet.

• Protective equipment: No special measures required.

6 Accidental release measures

Person-related safety precautions:

Wear protective equipment. Keep unprotected persons away.

Measures for environmental protection:

Do not allow product to reach sewage system or any water course. Prevent seepage into sewage system, workpits and cellars. Inform respective authorities in case of seepage into water course or sewage system.

Measures for cleaning/collecting:

Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders, sawdust).

Ensure adequate ventilation.

Do not flush with water or aqueous cleansing agents

7 Handling and storage

- Handling
- · Information for safe handling:

Store in cool, dry place in tightly closed receptacles.

· Information about protection against explosions and fires:

Keep ignition sources away - Do not smoke.

Protect against electrostatic charges.

- · Storage
- · Requirements to be met by storerooms and receptacles:

Store in a cool location.

- Information about storage in one common storage facility: Not required.
- Further information about storage conditions:

Keep receptacle tightly sealed.

Store in cool, dry conditions in well sealed receptacles.

- Maximum storage temperature: 120 F (49 C)
- Minimum storage temperature 35 F (2 C)

acc. to ISO/DIS 11014

08/03/2000 Revision date: 08/03/2000

Trade name: TSO-2 Red Ink

8 Exposure controls and personal protection

· Additional information about design of technical systems:

No further data; see item 7.

Components with limit values that require monitoring at the workplace:

64-17-5 ethanol

ACGIH TLV: Short-term value: 1880,A4 mg/m3, 1000,A4 ml/m3

NIOSH REL: Short-term value: 1900 mg/m3, 1000 ml/m3 OSHA PEL: Short-term value: 1900 mg/m3, 1000 ml/m3

67-63-0 isopropyl alcohol

ACGIH TLV: Short-term value: 983 mg/m3, 400 ml/m3

Long-term value: 1230 mg/m3, 500 ml/m3

NIOSH REL: Short-term value: 980 mg/m3, 400 ml/m3 Long-term value: 1225 mg/m3, 500 ml/m3

OSHA PEL: Short-term value: 980 mg/m3, 400 ml/m3

71-23-8 1-propanol

ACGIH TLV: Short-term value: 492 mg/m3, 200 ml/m3

Long-term value: 614 mg/m3, 250 ml/m3

Skin

NIOSH REL: Short-term value: 500 mg/m3, 200 ml/m3

Long-term value: 625 mg/m3, 250 ml/m3

Skin

OSHA PEL: Short-term value: 500 mg/m3, 200 ml/m3

· Additional information:

The lists that were valid during the creation were used as basis.

- Personal protective equipment
- · General protective and hygienic measures

Wash hands before breaks and at the end of work.

- · Breathing equipment: Not required.
- Protection of hands: Protective gloves.
- Eye protection: Tightly sealed goggles.

9 Physical and chemical properties:

• Form: Liquid

• Color: Red

• Odor: Alcohol-like

Value/Range Unit Method

· Change in condition

• Melting point/Melting range: undetermined

• Boiling point/Boiling range: 78 ° C

13 ° C

• Flash point: 13

• Ignition temperature: 360 ° C

• Auto igniting: Product is not selfigniting.

· Danger of explosion:

Product is not explosive. However, formation of explosive air/vapor mixtures are possible.

(Contd. on page 4)

acc. to ISO/DIS 11014

08/03/2000 Revision date: 08/03/2000

Trade name: TSO-2 Red Ink

(Contd. of page 3)

• Explosion limits:

• Lower: 2.0 Vol %
• Upper: 15.0 Vol %

• Vapor pressure: at 20 ° C 59 hPa

• **Density:** at 20 ° C 0.829 g/cm3

· Solubility in / Miscibility with

• Water: Not miscible or difficult to mix

• Solvent content:

• Organic solvents: 92.8 %

• Solids content: 7.2 %

10 Stability and reactivity

• Thermal decomposition / conditions to be avoided:

No decomposition if used according to specifications.

- Dangerous reactions No dangerous reactions known
- · Dangerous products of decomposition:

No dangerous decomposition products known

11 Toxicological information

- Acute toxicity:
- Primary irritant effect:
- on the skin: No irritant effect.
- · on the eye: No irritating effect.
- Sensitization: No sensitizing effects known.

12 Ecological information:

• General notes:

Water hazard class 1 (Self-assessment): slightly hazardous for water. Do not allow undiluted product or large quantities of it to reach ground water, water course or sewage system.

13 Disposal considerations

- · Product:
- · Recommendation

Must not be disposed of together with household garbage. Do not allow product to reach sewage system.

Comply with all Federal, State, and Local regulations regarding disposal.

- Uncleaned packagings:
- · Recommendation:

Disposal must be made according to official regulations. Comply with all Federal, State, and Local regulations regarding disposal.

14 Transport information

- DOT regulations:
- · Hazard class:
- Identification number: UN1210

(Contd. on page 5)

acc. to ISO/DIS 11014

Revision date: 08/03/2000 08/03/2000

Trade name: TSO-2 Red Ink

(Contd. of page 4)

ΤT Packing group:

• ERG # 129

· Proper shipping name (technical name):

Printing ink

Land transport ADR/RID (cross-border)

ADR/RID class: 3 Flammable liquids

• Item: 5b Danger code (Kemler): 33 UN-Number: 1210

1210 Printing ink Description of goods:

Maritime transport IMDG:

3.2 • IMDG Class: · Page: 3272-1 · UN Number: 1210 Packaging group: ΙI • EMS Number: 3-05 311 MFAG: Marine pollutant: No

 Propper shipping name: Printing ink

· Air transport ICAO-TI and IATA-DGR:

• ICAO/IATA Class: 1210 UN/ID Number: ΙI Packaging group:

• Propper shipping name: Printing ink

15 Regulations

Product related hazard information:

The product has been classified and marked in accordance with directives on hazardous materials.

- Hazard symbols: Highly flammable
- · Risk phrases: Highly flammable.
- · Safety phrases:

Keep out of the reach of children.

Keep container tightly closed and in a well-ventilated place.

Keep away from sources of ignition - No smoking.

If swallowed, seek medical advice immediately and show this container or label.

- · National regulations
- · Water hazard class:

Water hazard class 1 (Self-assessment): slightly hazardous for water.

- · Other regulations, limitations and prohibitive regulations
- OSHA Regulations

Air Contaminant (29 CFR 1910.1000, Table Z-1, Z-1-A): Not listed OSHA Specifically Regulated Substance (29 CFR 1910.): Not listed

· Superfund Amendments and Reauthorization Act of 1986 (SARA) Title III, Section 313:

This product does not contain chemicals listed as toxic chemicals at

(Contd. on page 6)

acc. to ISO/DIS 11014

08/03/2000 Revision date: 08/03/2000

Trade name: TSO-2 Red Ink

(Contd. of page 5)

levels which require reporting under SARA Title III Section 313.

· CONEG:

This product has not been tested for heavy metals covered under the various CONEG laws. However, raw materials used to make this product do not contain mercury, lead, cadmium, or hexavalent chromium and none are added during manufacture.

· Toxic Substances Control Act TSCA Status:

All components of this product are listed in the EPA's Inventory of Chemical Substances as required under the Toxic Substances Control Act (TSCA).

California Proposition 65 (Chemicals known to cause cancer):

This product contains no ingredients on the California Proposition 65 List known to cause cancer.

 California Proposition 65 (Chemicals known to cause reproductive toxicity):

108-88-3 toluene

16 Other information:

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

- Department issuing MSDS: Safety / Environmental
- MSDS Created By: J. Wells
- File: 149
- · Revision Information (All previous revisions obsolete):

This Revision: 08/03/2000 Section 1: Updated Product Numbers

Section 14: Added ERG#.

Corrected IMDG Page Number.

Previous Revisions: 09/23/1999

-USA-